

Diarrea bacteriana

Referencias

1. DuPont HL. The growing threat of foodborne bacterial enteropathogens of animal origin. *Clin Infect Dis* 2007;45:1353-61.
2. Mead PS, Slutsker L, Dietz V, et al. Food-related illness and death in the United States. *Emerg Infect Dis* 1999;5:607-25.
3. Allos BM, Moore MR, Griffin PM, Tauxe RV. Surveillance for sporadic foodborne disease in the 21st century: the FoodNet perspective. *Clin Infect Dis* 2004;38:Suppl 3:S115-S120.
4. Zilberberg MD, Shorr AF, Kollef MH. Increase in adult *Clostridium difficile* related hospitalizations and case-fatality rate, United States, 2000-2005. *Emerg Infect Dis* 2008;14:929-31.
5. Ailes E, Demma L, Hurd S, et al. Continued decline in the incidence of *Campylobacter* infections, FoodNet 1996-2006. *Foodborne Pathog Dis* 2008;5:329-37.
6. Thielman NM, Guerrant RL. Acute infectious diarrhea. *N Engl J Med* 2004; 350:38-47.
7. Ethelberg S, Olsen KE, Gerner-Smidt P, Molbak K. The significance of the number of submitted samples and patient-related factors for faecal bacterial diagnostics. *Clin Microbiol Infect* 2007;13:1095-9.
8. Voetsch AC, Van Gilder TJ, Angulo FJ, et al. FoodNet estimate of the burden of illness caused by nontyphoidal *Salmonella* infections in the United States. *Clin Infect Dis* 2004;38:Suppl 3:S127-S134.
9. Spano LC, Sadovsky AD, Segui PN, et al. Age-specific prevalence of diffusely adherent *Escherichia coli* in Brazilian children with acute diarrhoea. *J Med Microbiol* 2008;57:359-63.
10. Meraz IM, Jiang ZD, Ericsson CD, et al. Enterotoxigenic *Escherichia coli* and diffusely adherent *E. coli* as likely causes of a proportion of pathogen-negative travelers' diarrhea — a PCR-based study. *J Travel Med* 2008;15:412-8.
11. Willenbrock H, Hallin PF, Wassenaar TM, Ussery DW. Characterization of probiotic *Escherichia coli* isolates with a novel pan-genome microarray. *Genome Biol* 2007;8:R267.
12. Talan D, Moran GJ, Newdow M, et al. Etiology of bloody diarrhea among patients presenting to United States emergency departments: prevalence of *Escherichia coli* O157:H7 and other enteropathogens. *Clin Infect Dis* 2001;32:573-80.
13. Tarr PI. Shiga toxin-associated haemolytic uremic syndrome and thrombotic thrombocytopenic purpura: distinct mechanisms of pathogenesis. *Kidney Int Suppl* 2009;112:S29-S32.
14. Kendrick JB, Risbano M, Groshong SD, Frankel SK. A rare presentation of ischemic pseudomembranous colitis due to *Escherichia coli* O157:H7. *Clin Infect Dis* 2007;45:217-9.
15. Garcia-Aljaro C, Muniesa M, Jofre J, Blanch AR. Genotypic and phenotypic diversity among induced, *stx2*-carrying bacteriophages from environmental *Escherichia coli* strains. *Appl Environ Microbiol* 2009;75:329-36.
16. Brooks JT, Sowers EG, Wells JG, et al. Non-O157 Shiga toxin-producing *Escherichia coli* infections in the United States, 1983-2002. *J Infect Dis* 2005;192:1422-9.
17. Appleman SS, Ascher D, Park C. Clinical spectrum of Shiga toxin-producing *Escherichia coli* (STEC) in adults and children. *Clin Pediatr (Phila)* 2009;48:99-102.
18. Hedberg CW, Palazzi-Churas KL, Radke VJ, Selman CA, Tauxe RV. The use of clinical profiles in the investigation of foodborne outbreaks in restaurants: United States, 1982-1997. *Epidemiol Infect* 2008;136:65-72.
19. Shah N, DuPont HL, Ramsey DJ. Global etiology of travelers' diarrhea: systematic review from 1973 to the present. *Am J Trop Med Hyg* 2009;80:609-14.
20. DuPont HL, Ericsson CD, Farthing MJ, et al. Expert review of the evidence base for self-therapy of travelers' diarrhea. *J Travel Med* 2009;16:161-71.
21. Zar FA, Bakkanagari SR, Moorthi KM, Davis MB. A comparison of vancomycin and metronidazole for the treatment of *Clostridium difficile*-associated diarrhea, stratified by disease severity. *Clin Infect Dis* 2007;45:302-7.

22. Curry SR, Marsh JW, Shutt KA, et al. High frequency of rifampin resistance identified in an epidemic *Clostridium difficile* clone from a large teaching hospital. *Clin Infect Dis* 2009;48:425-9.
23. DuPont HL, Jiang ZD, Okhuysen PC, et al. A randomized, double-blind, placebocontrolled trial of rifaximin to prevent travelers' diarrhea. *Ann Intern Med* 2005;142:805-12. [Erratum, *Ann Intern Med* 2005;143:239.]
24. DuPont HL, Ericsson CD, Johnson PC, Bitsura JA, DuPont MW, de la Cabada FJ. Prevention of travelers' diarrhea by the tablet formulation of bismuth subsalicylate. *JAMA* 1987;257:1347-50.
25. DuPont HL, Ericsson CD, Farthing MJ, et al. Expert review of the evidence base for prevention of travelers' diarrhea. *J Travel Med* 2009;16:149-60.
26. McDonald LC, Owings M, Jernigan DB. *Clostridium difficile* infection in patients discharged from US short-stay hospitals, 1996-2003. *Emerg Infect Dis* 2006;12:409-15.
27. Bishara J, Peled N, Pitlik S, Samra Z. Mortality of patients with antibiotic-associated diarrhoea: the impact of *Clostridium difficile*. *J Hosp Infect* 2008;68:308-14.
28. Chang JY, Antonopoulos DA, Kalra A, et al. Decreased diversity of the fecal microbiome in recurrent *Clostridium difficile*-associated diarrhea. *J Infect Dis* 2008;197:435-8.
29. Kelly CP, LaMont JT. *Clostridium difficile* — more difficult than ever. *N Engl J Med* 2008;359:1932-40.
30. Brown KH, Gastañaduy AS, Saavedra JM, et al. Effect of continued oral feeding on clinical and nutritional outcomes of acute diarrhea in children. *J Pediatr* 1988;112:191-200.
31. Ochoa TJ, Chen J, Walker CM, Gonzales E, Cleary TG. Rifaximin does not induce toxin production or phage-mediated lysis of Shiga toxin-producing *Escherichia coli*. *Antimicrob Agents Chemother* 2007;51:2837-41.
32. Zhang X, McDaniel AD, Wolf LE, Keusch GT, Waldor MK, Acheson DW. Quinolone antibiotics induce Shiga toxinencoding bacteriophages, toxin production, and death in mice. *J Infect Dis* 2000;181:664-70.
33. Ohara T, Kojio S, Taneike I, et al. Effects of azithromycin on shiga toxin production by *Escherichia coli* and subsequent host inflammatory response. *Antimicrob Agents Chemother* 2002;46:3478-83.
34. Preliminary FoodNet data on the incidence of infection with pathogens transmitted commonly through food — 10 States, 2008. *MMWR Morb Mortal Wkly Rep* 2009;58:333-7.
35. Jiang ZD, Okhuysen PC, Guo DC, et al. Genetic susceptibility to enteroaggregative *Escherichia coli* diarrhea: polymorphism in the interleukin-8 promoter region. *J Infect Dis* 2003;188:506-11.
36. Jiang ZD, DuPont HL, Garey K, et al. A common polymorphism in the interleukin 8 gene promoter is associated with *Clostridium difficile* diarrhea. *Am J Gastroenterol* 2006;101:1112-6.
37. Mohamed JA, DuPont HL, Jiang ZD, et al. A novel single-nucleotide polymorphism in the lactoferrin gene is associated with susceptibility to diarrhea in North American travelers to Mexico. *Clin Infect Dis* 2007;44:945-52.
38. Mohamed JA, Dupont HL, Jiang ZD, et al. A single-nucleotide polymorphism in the gene encoding osteoprotegerin, an anti-inflammatory protein produced in response to infection with diarrheagenic *Escherichia coli*, is associated with an increased risk of nonsecretory bacterial diarrhea in North American travelers to Mexico. *J Infect Dis* 2009;199:477-85.
39. Flores J, DuPont HL, Lee SA, et al. Influence of host interleukin-10 polymorphisms on development of traveler's diarrhea due to heat-labile enterotoxin-producing *Escherichia coli* in travelers from the United States who are visiting Mexico. *Clin Vaccine Immunol* 2008;15:1194-8.
40. Tam CC, Rodrigues LC, Petersen I, Islam A, Hayward A, O'Brien SJ. Incidence of Guillain-Barré syndrome among patients with *Campylobacter* infection: a general practice research database study. *J Infect Dis* 2006;194:95-7.
41. Townes JM, Deodhar AA, Laine ES, et al. Reactive arthritis following cultureconfirmed infections with bacterial enteric pathogens in Minnesota and Oregon: a population-based study. *Ann Rheum Dis* 2008;67:1689-96.

42. Okhuysen PC, Jiang ZD, Carlin L, Forbes C, DuPont HL. Post-diarrhea chronic intestinal symptoms and irritable bowel syndrome in North American travellers to Mexico. *Am J Gastroenterol* 2004;99: 1774-8.
43. Spiller RC. Role of infection in irritable bowel syndrome. *J Gastroenterol* 2007; 42:Suppl 17:41-7.
44. Stermer E, Lubezky A, Potasman I, Paster E, Lavy A. Is traveler's diarrhea a significant risk factor for the development of irritable bowel syndrome? A prospective study. *Clin Infect Dis* 2006;43:898-901.
45. Jung IS, Kim HS, Park H, Lee SI. The clinical course of postinfectious irritable bowel syndrome: a five-year follow-up study. *J Clin Gastroenterol* 2009;43:534-40.
46. Neal KR, Barker L, Spiller RC. Prognosis in post-infective irritable bowel syndrome: a six year follow up study. *Gut* 2002;51:410-3.
47. Törnblom H, Holmvall P, Svenungsson B, Lindberg G. Gastrointestinal symptoms after infectious diarrhea: a five-year follow-up in a Swedish cohort of adults. *Clin Gastroenterol Hepatol* 2007;5:461-4.
48. DuPont HL. Guidelines on acute infectious diarrhea in adults. *Am J Gastroenterol* 1997;92:1962-75.
49. Guerrant RL, Van Gilder T, Steiner TS, et al. Practice guidelines for the management of infectious diarrhea. *Clin Infect Dis* 2001;32:331-51.